

SKEMA

K-uno

LAMINATO/LAMINATE

K-uno

K-Uno, unisce la nuova tecnologia Hydro, che protegge la doga dai ristagni d'acqua per 24 ore, al grande formato (2052x248x10mm) e alla superficie dotata di sincroporo, che conferisce un effetto ultra realistico al decorativo legno. La microbisellatura, protetta con componente Acquastop che la rende idro protetta, è presente sui 4 lati. K-Uno è dotato anche del nuovo incastro 5G Dry che unisce a facilità e rapidità di posa la tenuta stagna del incastro.

K-Uno, combines the new Hydro technology, which protects the plank from water stagnation for 24 hours, with the large format (2052x248x10mm) and the surface equipped with synchropore, which gives an ultra-realistic effect to the decorative wood. Micro-beveling, protected with Acquastop component that makes it hydro-protected, is present on all 4 sides. K-Uno also features the new 5G Dry joint that combines ease and speed of installation with watertightness of the joint.

DIMENSIONI / SIZE:

2052x248x10 mm



CARATTERISTICHE TECNICHE / TECHNICAL FEATURES:

Incastro
joint



5G™ Dry™

Bisello
bevel



Reazione al Fuoco
Fire reaction



Cfl-s1

Idoneo ad ambienti umidi
Suitable For wet Environments



Domestico
Residential



23

Commerciale
Commercial



32

Resistenza all'abrasione
Abrasion resistance



K-uno

520

Rovere Indiana

Emotion Finishing



SKEMA

K-uno

535

Rovere California New

Emotion Finishing



SKEMA

K-uno

527

Rovere Latino

Emotion Finishing



SKEMA

K-uno

528

Rovere Texas

Emotion Finishing



SKEMA

K-uno

530

Rovere Arizona

Emotion Finishing



SKEMA

K-uno

531

Rovere Colorado

Emotion Finishing



SKEMA

K-uno

532

Rovere Mexico

Emotion Finishing



SKEMA

K-uno

533

Rovere Yosemite

Emotion Finishing



SKEMA

K-uno

534

Rovere Kansas

Emotion Finishing



SKEMA